



FIG. 1

Case #	Pair Combination	Limit	NEXT loss magnitude limit 1), 4), 5)	NEXT loss phase limit 2), 3)
Case 1	3,6-4,5	Low	$\leq 36.4-20\log(f/100)$	$(-90 + 1.5 \cdot f/100) \pm f/100$
Case 2	3,6-4,5	Central	$(37.0 \pm 0.2) - 20\log(f/100)$	$(-90 + 1.5 \cdot f/100) \pm f/100$
Case 3	3,6-4,5	High	$\geq 37.6-20\log(f/100)$	$(-90 + 1.5 \cdot f/100) \pm f/100$
Case 4	1,2-3,6	Low	$\leq 46.5-20\log(f/100)$	$(-90 + 1.5 \cdot f/100) \pm 3f/100$
Case 5	1,2-3,6	High	$\geq 49.5-20\log(f/100)$	$(-90 + 1.5 \cdot f/100) \pm 3f/100$
Case 6	3,6-7,8	Low	$\leq 46.5-20\log(f/100)$	$(-90 + 1.5 \cdot f/100) \pm 3f/100$
Case 7	3,6-7,8	High	$\geq 49.5-20\log(f/100)$	$(-90 + 1.5 \cdot f/100) \pm 3f/100$
Case 8	1,2-4,5	Low	$\leq 57-20\log(f/100)$	$90 \pm (30 \cdot f/100)$
Case 9	1,2-4,5	High	$\geq 70-20\log(f/100)$	any phase
Case 10	4,5-7,8	Low	$\leq 57-20\log(f/100)$	$90 \pm (30 \cdot f/100)$
Case 11	4,5-7,8	High	$\geq 70-20\log(f/100)$	any phase
Case 12	1,2-7,8	Low	$\leq 60-20\log(f/100)$	any phase

- 1) Magnitude limits apply over the frequency range from 10 MHz to 250 MHz.
- 2) Phase limits apply over the frequency range from 50 MHz to 250 MHz.
- 3) When the measured plug NEXT loss is greater than 70 dB, the phase limit does not apply.
- 4) When a low limit NEXT loss calculation results in values greater than 70 dB, there shall be no low limit for NEXT loss.
- 5) When a high limit NEXT loss calculation results in values greater than 70 dB, the high limit NEXT shall revert to a limit of 70 dB.

2/13

FIG. 2




FIG. 3






FIG. 4




5/13

FIG. 5




7/13

FIG. 7




8/13

FIG. 8




9/13

FIG. 9




10/13

FIG. 10



11/13


FIG. 11



12/13

FIG. 12

Pair 12-36 with low valued NEXT plug



13/13

FIG. 13

